Heil[®] Residential Warranties at a Glance



Maximum strength warranties for homeowners

Every Heil® home comfort product is backed the way it's built—to be the best. How do you know for sure? Warranty coverage. When it comes to such a major investment, there's no better gauge of quality. Maximum strength warranties give you exceptional protection and provide lasting satisfaction with your Heil product. Your heating and air conditioning dealer will recommend the best product options for your home and installation requirements.

No Hassle Replacement™ limited warranty

Select Heil heating and cooling products provide a one-time equivalent unit replacement if the compressor, outdoor coil, evaporator coil (fan coils only), or heat exchanger should fail during the No Hassle Replacement™ limited warranty period, which varies in length of coverage from 1 to 10 years to the original purchaser. As the product features and efficiencies get better, so does the No Hassle Replacement limited warranty in order to give you the maximum protection for your heating and cooling system.





Parts limited warranty

Heil gas and oil furnaces and R410A-based air conditioners, heat pumps, fan coils, geothermal, ductless systems and small package products carry a 10-year limited warranty on parts to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. Otherwise, the parts warranty period is five years from the date of installation. The remainder of the first five years of parts warranty is available to subsequent owners, but such coverage terminates on the five-year anniversary of the original installation of the product. Please see additional key component warranty details below:

The heart of the heating system

Heil Heating & Cooling Products back the heat exchanger with longer limited warranty periods (up to lifetime available on select models) to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. Coverage varies by furnace type, so please see enclosed charts for length of coverage details.

The heart of the cooling system

Compressors in Heil cooling products utilizing environmentally sound R410A refrigerant carry a 10-year limited warranty to the original owner, when product is used in a residential application and properly registered within 90 days after original installation.



Furnaces

	QUIETC	OMFORT®	DELUXE	QUI	ETCOMFO	RT®	PERFORMANCE				
Heil® Gas Furnace Options	G9MAE	G9MVE	G8MVL	G9MXT	G9MXE	G8MTL	N9MSE	N9MSB	N8MXL	N8MS	
Comfort Features											
Quiet Operation	Best	Best	Best	Better	Better	Better	Good	Good	Good	Good	
Temperature Control	Best	Best	Best	Better	Better	Better	Good	Good	Good	Good	
Efficiency											
Heating AFUE	Up to 98	Up to 96	80	Up to 96	Up to 96	80	Up to 95.5	Up to 92.1	80	80	
SEER Boosting ECM Fan Motor	•	•	•	•	•				•		
Design Features											
Observer® Communicating System Compatible (When Installed with Observer Wall Control with Wi-Fi®)		•	•								
Modulating (Multi-Stage) Gas Valve											
Two-Stage Gas Valve		•	•	•		•					
Variable-Speed Fan Motor	•	•	•								
Peace of Mind											
10-Year Parts Limited Warranty ¹		•	•	•	•	•	•	•	•	•	
No Hassle Replacement™ Limited Warranty²	10-yr	10-yr	10-yr	5-yr	1-yr	5-yr					

Ductless Systems

Heil® Ductless		S	SINGLE ZON	lE .		MULTI-ZONE					
System Options	DELUXE	COMFORT	COMFORT	PERF	ORMANCE			DELUX	Œ		
Indoor	DLFAHH	DLFCAB	DLFCHB	DLFDAB	DLFDHB	DLFAHH	DLFBHB	DLFCHB	DLFBHC	DLFBHD	DLFBHF
Outdoor	DLCAHB	DLCCAR	DLCCHR	DLCDAR	DLCDHR			DLCBH	IR		
Type of System											
Type of Indoor Unit	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	Cassette	Ducted	Floor Console
Cooling Only		•		•							
Heat Pump	•		•		•			•			
Comfort Features											
Temperature Control	Best	Better	Better	Good	Good	Best	Better	Better	Best	Best	Best
Up-Down Auto Swing	•	•	•	•	•	•	•	•	•		•
Left-Right Auto Swing	•					•	•				
Wireless Remote Control	•	•	•	•	•	•	•	•	•	•	•
Wired Remote Control		Optional	Optional	Optional	Optional		Optional	Optional	•	•	
Efficiency											
Cooling SEER	Up to 30.5	Up to 23.0	Up to 23.0	16.0	16.0			Up to 22	2.0		
Heating HSPF	Up to 10.3		Up to 10.5		10.55			Up to 10).2		
ENERGY STAR® Certified (Select Sizes)	•	•	•					•			
Sound											
Lowest Sound Pressure dB(A) (Indoor)*	26	26	26	28	28	26	33	26	35	31	25
Lowest Sound Pressure dB(A) (Outdoor)*	53	53	53	52	52			56			
Design Features											
Variable-Speed Inverter Compressor	•	•	•	•	•	•					
Basepan Heater Factory Installed	•		•		•	•					
Number of Indoor Fan Speeds	8 when cooling 7 when heating	4	4	4		8 when cooling 7 when heating	7	4	4	4	7
Peace of Mind											

^{*} Sound levels represent the lowest decibel level achieved from the quietest size within each model group during low fan-speed operation.

Split Systems

		MFORT® UXE	QU	IETCOMFOR	IT®			PE	RFORMAN	ICE	
Heil® Split System Air Conditioner Options	HVA9	НСА7	HSA6	HSA5	H4A3	N4A7	NXA6/ N4A6	NXA4/ N4A5	N4A4*	NH4A4	N4A3
Heil® Split System Heat Pump Options	HVH8	нсн6	HSH5/ HSH6	HSH4		N4H6	NXH5/ NXH6	N4H4*		NH4H4	
Comfort Features											
Summer Dehumidification	Best	Best	Better	Better	Better	Better	Good	Good	Good	Good	Good
Temperature Control	Best	Best	Better	Better	Better	Better	Good	Good	Good	Good	Good
Efficiency											
Cooling SEER	Up to 19	Up to 17.5	Up to 17	Up to 15	13	Up to 17.5	Up to 17	14.5	14	14	13–14
Electric Heating HSPF (Heat Pumps only)	Up to 11	Up to 9.5	Up to 9	Up to 8.2		Up to 9.5	Up to 9	8.2		8.2	
Design Features											
Observer® Communicating System Compatible (When Installed with Observer Wall Control with Wi-Fi®)	•	•	•	•							
Compressor Stages	Variable	2	1	1	1	2	1	1	1	1	1
Compressor Sound Jacket	•	•	•	•	•						
Multi-Speed Fan Motor	•	•			•	•					
Peace of Mind											
10-Year Parts Limited Warranty ¹	•	•	•	•	•	•	•	•	•	•	•
No Hassle Replacement [™] Limited Warranty ²	10-yr	10-yr	5-yr	3-уг	1-yr						

Geothermal

Heil® Geothermal Options	HP SERIES	HB SERIES	HS SERIES	HW SERIES
Comfort Features				
Temperature Control	Best	Better	Best	Best
Heating Stages (with Aux. Heat)	3	2	3	2
Cooling Stages	2	1	2	2
Efficiency				
Cooling EER (Closed Loop)	Up to 24.5	Up to 21.7	Up to 24.7	Up to 22.1
Heating COP (Closed Loop)	Up to 4.0	Up to 4.3	Up to 4.6	Up to 3.2
ENERGY STAR® Qualified	•	•	•	•
Design Features				
Optional Hot Water Feature	Optional	Optional	•	•
A				
Air Filter, MERV 8, 2″	•	•		
	2	1	2	2
MERV 8, 2" Compressor	2 Closed Cell Foam	1 Fiberglass	2 Closed Cell Foam	2 Fiberglass
MERV 8, 2" Compressor Stages	Closed		Closed	_
MERV 8, 2" Compressor Stages Cabinet Insulation	Closed		Closed	_
MERV 8, 2" Compressor Stages Cabinet Insulation Peace of Mind 10-Year Parts	Closed		Closed	_
MERV 8, 2" Compressor Stages Cabinet Insulation Peace of Mind 10-Year Parts Limited Warranty 10-Year Limited	Closed		Closed Cell Foam	_

Fan Coils

Heil [®] Fan Coil Options	FCM	FVM	FXM	FEM	FMA
Comfort Features					
Summer Dehumidification	Best	Best	Better	Better	Good
Temperature Control	Best	Best	Better	Better	Good
Efficiency					
SEER Boosting ECM Fan Motor	•	•	•	•	
Design Features					
Observer® Communicating System Compatible (When Installed with Observer Wall Control with Wi-Fi®)	•				
Variable-Speed Fan Motor	•	•			
Peace of Mind					
10-Year Parts Limited Warranty ¹	•	•	•	•	•
No Hassle Replacement™ Limited Warranty²	10-yr	10-yr	5-yr	1-yr	

Minimum Air Conditioner Efficiencies



On January 1, 2015, a new set of minimum efficiency standards took effect. Under the new standards, there are different efficiency minimums for air conditioners in each of three regions—North, Southeast and Southwest. The national minimum efficiency standard for heat pumps is 14 SEER/8.2 HSPF.

*12.2 EER<45,000 Btu/h, 11.7 EER≥45,000 Btu/h

^{*} Coastal model available

Small Package Products

			QUIE	TCOMFORT	*®		PERFORMANCE							
Heil® Small Package Product Options	Gas Furnace/ Electric Heat Pump Combination	Gas Fu Air Con Combii	ditioner	Heat Pumps		Air Conditioners		Gas Furnace/ Electric Heat Pump Combination	Gas Furnace/ Air Conditioner Combinations			Air Conditioners		
	PDS4	PGR5	PGS4	PHR5	PHD4	PAR5	PAD4	PDD4	PGD4	PHD4	PHJ4	PAD4	PAJ4	
Comfort Features														
Summer Dehumidification	Better	Best	Better	Best	Better	Best	Better	Better	Better	Better	Good	Better	Good	
Temperature Control	Better	Best	Better	Best	Better	Best	Better	Better	Better	Better	Good	Better	Good	
Efficiency														
Cooling SEER	Up to 14.5	Up to 16	14	Up to 16	Up to 14.5	Up to 16	Up to 14.5	Up to 14.5	Up to 14	Up to 14.5	Up to 14.5	Up to 14.5	Up to 14.5	
Electric Heating HSPF	8			Up to 8.5	8			8		8	8			
Gas Heating AFUE	81%	81%	81%					81%	81%					
Design Features														
Dual Fuel Heating	•							•						
Gas Valve Stages	1	2	1					1	1					
High-Efficiency, Multi- Speed ECM Blower	•	•	•	•	•	•	•	•	•	•	•	•	•	
Compressor Stages	1	2	1	2	1	2	1	1	1	1	1	1	1	
Peace of Mind														
10-Year Parts Limited Warranty ¹	•	•	•	•	•	•	•	•	•	•	•	•	•	
No Hassle Replacement™ Limited Warranty²	3-уг	5-yr	3-yr	5-yr	3-yr	5-yr	3-yr			*		*		
Heat Exchanger Limited Warranty ¹	Lifetime	Lifetime	Lifetime					15-yr	15-yr					

^{*} Three-year No Hassle Replacement™ limited warranty for tin-coated coil models.

#1 - Heil gas and oil furnaces and R410A-based air conditioners, heat pumps, fan coils, geothermal, ductless systems and small package products carry a ten (10) year limited warranty on parts, including compressor and condenser coil, to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. (See Warranty Certificate for registration instructions. Registration not required in all jurisdictions.) Otherwise, the warranty period is five (5) years from the date of installation. Heat exchangers carry longer limited warranty coverage

that applies to original homeowners with timely registration. Otherwise, heat exchanger warranties are 10-20 years from date of installation, depending on model. Check individual listings. Restrictions apply. See Warranty Certificate for details.

#2 - See Warranty Certificate for details on the No Hassle Replacement™ limited warranty. Go to Heil-HVAC.com to view the most current and complete Warranty Certificate for further details.

Many models are ENERGY STAR® qualified. Ask your contractor for details or visit www.energystar.gov.

All systems tested and listed by the appropriate agencies.





ISO 9001: 2000 Registered

650 Heil Quaker Ave. Lewisburg, TN 37091 Heil-HVAC.com

As part of its commitment to quality. International Comfort Products reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary. Wi-Fi® is a registered trademark of the Wi-Fi Alliance Corporation.